Amendments to the claims:

This listing of claims will replace all previous versions, and listings, of claims in this application.

Listing of Claims:

Claim 1.(original) A compound of formula I:

$$A \longrightarrow Ar^{1} \longrightarrow Ar^{2}$$

wherein:

A is a moiety of formula II:

$$(CH_2)_a$$
 $(CH_2)_b$
 $(CH_2)_c$
 $(CH_2)_c$
 $(CH_2)_c$

D is oxygen or sulfur;

E is a single bond, oxygen, sulfur, or NR³;

Ar¹ is a 5- or 6-membered aromatic heterocyclic ring having 1, 2 or 3 heteroatoms selected from nitrogen, oxygen or sulfur where not more than one of said heteroatoms is oxygen or sulfur, or

Ar¹ is phenyl;

 ${\rm Ar}^2$ is a 5- or 6-membered aromatic heterocyclic ring having 1, 2 or 3 heteroatoms selected from nitrogen, oxygen or sulfur where not more than one of said heteroatoms is oxygen or sulfur, or

Ar² is phenyl, or

Ar² is an 8- or 9-, or 10-membered fused aromatic carbocyclic ring or fused aromatic heterocyclic ring having 1, 2 or 3 heteroatoms selected from nitrogen, oxygen or sulfur where not more than one of said heteroatoms is oxygen or sulfur, or an 8- or 9-, or 10-membered aromatic carbocyclic ring;

Application No. Not allotted yet National Phase of PCT/SE03/001277 Preliminary Amendment dated February 14, 2005

the rings Ar^1 and Ar^2 are substituted with 0, 1, 2 or 3 substituents selected from: halogen, C_{1-4} alkyl, C_{2-4} alkenyl, C_{2-4} alkynyl, CN, NO₂, CF₃ NR¹R², CH₂NR¹R², OR², CH₂OR² or CO₂R³;

 R^1 and R^2 at each occurrence are independently selected from hydrogen, C_{1-4} alkyl, aryl, heteroaryl, $C(O)R^3$, $C(O)NHR^3$, CO_2R^3 or SO_2R^3 , or

 R^1 and R^2 in combination is $-(CH_2)_jG(CH_2)_k$ - wherein G is oxygen, sulfur, NR^3 , or a bond;

a, b and c are each 1 or 2;

j is 2, 3 or 4;

k is 0, 1 or 2, and

 R^3 at each occurrence is independently selected from hydrogen, $C_{1\text{-}4}$ alkyl, aryl, or heteroaryl;

or a diastereoisomer, enantiomer or pharmaceutically-acceptable salt thereof.

Claim 2.(original) A compound according to Claim 1, wherein D is oxygen.

Claim 3.(original) A compound according to Claim 2, wherein E is a single bond.

Claim 4.(original) A compound according to Claim 2, wherein E is oxygen or NR³.

Claim 5.(original) A compound according to Claim 1, wherein A is



1

or a diastereoisomer, enantiomer or pharmaceutically-acceptable salt thereof.

Claim 6.(original) A compound of Claim 1, wherein

Application No. Not allotted yet National Phase of PCT/SE03/001277 Preliminary Amendment dated February 14, 2005

Ar¹ is a 5- or 6-membered aromatic heterocyclic ring having 1 or 2 heteroatoms selected from nitrogen, oxygen or sulfur where not more than one of said heteroatoms is oxygen or sulfur, or

Ar¹ is phenyl,

or a diastereoisomer, enantiomer or pharmaceutically-acceptable salt thereof.

Claim 7.(original) A compound according to Claim 6 wherein Ar¹ is a benzene ring, furan ring or thiophene ring.

Claim 8.(original) A compound according to Claim 1, wherein

Ar² is a 5- or 6-membered aromatic heterocyclic ring having 1 or 2 heteroatoms selected from nitrogen, oxygen or sulfur where not more than one of said heteroatoms is oxygen or sulfur, or a phenyl,

or a diastereoisomer, enantiomer or pharmaceutically-acceptable salt thereof.

Claim 9.(original) A compound according to Claim 8, wherein Ar² is a benzene ring, furan ring, thiophene ring, or pyridine ring.

Claim 10.(original) A compound according to Claim 1, wherein


the -EAr 2 and the C(=D)A moieties on Ar 1 are positioned in a 1,3-relationship relative to each other;

or a diastereoisomer, enantiomer or pharmaceutically-acceptable salt thereof.

Claim 11.(original) A compound according to Claim 1, wherein Ar^1 or Ar^2 is substituted with 0 or 1 substituents selected from: halogen, C_{1-4} alkyl, C_{2-4} alkenyl, C_{2-4} alkynyl, C_{N} , C_{N}

or a diastereoisomer, enantiomer or pharmaceutically-acceptable salt thereof.

Claim 12.(original) A compound according to Claim 1, wherein A is a moiety of formula II:



D is oxygen;

E is a single bond;

Ar¹ is a 5- or 6-membered aromatic heterocyclic ring having 1, 2 or 3 heteroatoms selected from nitrogen, oxygen or sulfur where not more than 1 of said heteroatoms is oxygen or sulfur, or

Ar¹ is phenyl

 ${\rm Ar}^2$ is a 5- or 6-membered aromatic heterocyclic ring having 1, 2 or 3 heteroatoms selected from nitrogen, oxygen or sulfur where not more than 1 of said heteroatoms is oxygen or sulfur, or

Ar² is phenyl,

or a diastereoisomer, enantiomer or pharmaceutically-acceptable salt thereof.

Claim 13.(original) A compound of Claim 12, wherein Ar¹ is a benzene ring, furan ring or thiophene ring.

Claim 14.(original) A compound according to Claim 1, having the groups -EAr² and - C(=O)A, positioned in a 1,3-relationship relative to each other and wherein Ar² has 0 or 1 substituents selected from: halogen, C_{1-4} alkyl, C_{2-4} alkenyl, C_{2-4} alkynyl, CN, NO_2 , NR^1R^2 , $CH_2NR^1R^2$, OR^1 , CH_2OR^1 , CO_2R^3 or CF_3 ;

or a diastereoisomer, enantiomer or pharmaceutically-acceptable salt thereof.

Claim 15.(original) A compound according to Claim 1, selected from:

(1,4-diazabicyclo[3.2.2]non-4-yl)(biphenyl-3-yl)methanone;

(1,4-diazabicyclo[3.2.2]non-4-yl)(3-(2-pyridyl)phenyl)methanone;

(1,4-diazabicyclo[3.2.2]non-4-yl)(3-(3-pyridyl)phenyl)methanone;

(1,4-diazabicyclo[3.2.2]non-4-yl)(3-(4-pyridyl)phenyl)methanone;

```
(1,4-diazabicyclo[3.2.2]non-4-yl)(3-(furan-2-yl)phenyl)methanone;
  (1,4-diazabicyclo[3.2.2]non-4-yl)(3-(furan-3-yl)phenyl)methanone;
 (1,4-diazabicyclo[3.2.2]non-4-yl)(3-(thiophen-2-yl)phenyl)methanone;
 (1,4-diazabicyclo[3.2.2]non-4-yl)(3-(thiophen-3-yl)phenyl)methanone;
 (1,4-diazabicyclo[3.2.2]non-4-yl)(biphenyl-4-yl)methanone;
 (1,4-diazabicyclo[3.2.2]non-4-yl)(4-(2-pyridyl)phenyl)methanone;
 (1,4-diazabicyclo[3.2.2]non-4-yl)(4-(3-pyridyl)phenyl)methanone;
 (1,4-diazabicyclo[3.2.2]non-4-yl)(4-(4-pyridyl)phenyl)methanone;
 (1,4-diazabicyclo[3.2.2]non-4-yl)(4-(furan-2-yl)phenyl)methanone;
 (1,4-diazabicyclo[3.2.2]non-4-yl)(4-(furan-3-yl)phenyl)methanone;
 (1,4-diazabicyclo[3.2.2]non-4-yl)(4-(thiophen-2-yl)phenyl)methanone;
 (1,4-diazabicyclo[3.2.2]non-4-yl)(4-(thiophen-3-yl)phenyl)methanone;
 (1,4-diazabicyclo[3.2.2]non-4-yl)(5-phenylfuran-2-yl)methanone;
 (1,4-diazabicyclo[3.2.2]non-4-yl)(5-(2-pyridyl)furan-2-yl)methanone;
 (1,4-diazabicyclo[3.2.2]non-4-yl)(5-(3-pyridyl)furan-2-yl)methanone;
(1,4-diazabicyclo[3.2.2]non-4-yl)(5-(4-pyridyl)furan-2-yl)methanone;
(1,4-diazabicyclo[3.2.2]non-4-yl)(5-(furan-2-yl)furan-2-yl)methanone;
(1,4-diazabicyclo[3.2.2]non-4-yl)(5-(furan-3-yl)furan-2-yl)methanone;
(1,4-diazabicyclo[3.2.2]non-4-yl)(5-(thiophen-2-yl)furan-2-yl)methanone;
(1,4-diazabicyclo[3.2.2]non-4-yl)(5-(thiophen-3-yl)furan-2-yl)methanone;
(1,4-diazabicyclo[3.2.2]non-4-yl)(2-phenylthiophen-4-yl)methanone;
(1,4-diazabicyclo[3.2.2]non-4-yl)(2-(2-pyridyl)thiophen-4-yl)methanone;
(1,4-diazabicyclo[3.2.2]non-4-yl)(2-(3-pyridyl)thiophen-4-yl)methanone;
(1,4-diazabicyclo[3.2.2]non-4-yl)(2-(4-pyridyl)thiophen-4-yl)methanone;
(1,4-diazabicyclo[3.2.2]non-4-yl)(2-(furan-2-yl)thiophen-4-yl)methanone;
(1,4-diazabicyclo[3.2.2]non-4-yl)(2-(furan-3-yl)thiophen-4-yl)methanone;
(1,4-diazabicyclo[3.2.2]non-4-yl)(2-(thiophen-2-yl)thiophen-4-yl)methanone;
(1,4-diazabicyclo[3.2.2]non-4-yl)(2-(thiophen-3-yl)thiophen-4-yl)methanone;
(1,4-diazabicyclo[3.2.2]non-4-yl)(4-phenylfuran-2-yl)methanone;
(1,4-diazabicyclo[3.2.2]non-4-yl)(4-(2-pyridyl)furan-2-yl)methanone;
```

```
(1,4-diazabicyclo[3.2.2]non-4-yl)(4-(3-pyridyl)furan-2-yl)methanone;
 (1,4-diazabicyclo[3.2.2]non-4-yl)(4-(4-pyridyl)furan-2-yl)methanone;
 (1,4-diazabicyclo[3.2.2]non-4-yl)(4-(furan-2-yl)furan-2-yl)methanone;
 (1,4-diazabicyclo[3.2.2]non-4-yl)(4-(furan-3-yl)furan-2-yl)methanone;
 (1,4-diazabicyclo[3.2.2]non-4-yl)(4-(thiophen-2-yl)furan-2-yl)methanone;
 (1,4-diazabicyclo[3.2.2]non-4-yl)(4-(thiophen-3-yl)furan-2-yl)methanone;
 (1,4-diazabicyclo[3.2.2]non-4-yl)(5-phenylthiophen-2-yl)methanone;
 (1,4-diazabicyclo[3.2.2]non-4-yl)(5-(2-pyridyl)thiophen-2-yl)methanone;
 (1,4-diazabicyclo[3.2.2]non-4-yl)(5-(3-pyridyl)thiophen-2-yl)methanone;
 (1,4-diazabicyclo[3.2.2]non-4-yl)(5-(4-pyridyl)thiophen-2-yl)methanone;
 (1,4-diazabicyclo[3.2.2]non-4-yl)(5-(furan-2-yl)thiophen-2-yl)methanone;
 (1,4-diazabicyclo[3.2.2]non-4-yl)(5-(furan-3-yl)thiophen-2-yl)methanone;
 (1,4-diazabicyclo[3.2.2]non-4-yl)(5-(thiophen-2-yl)thiophen-2-yl)methanone;
 (1,4-diazabicyclo[3.2.2]non-4-yl)(5-(thiophen-3-yl)thiophen-2-yl)methanone;
(1,4-diazabicyclo[3.2.2]non-4-yl)(2-phenylfuran-4-yl)methanone;
(1,4-diazabicyclo[3.2.2]non-4-yl)(2-(2-pyridyl)furan-4-yl)methanone;
(1,4-diazabicyclo[3.2.2]non-4-yl)(2-(3-pyridyl)furan-4-yl)methanone;
(1,4-diazabicyclo[3.2.2]non-4-yl)(2-(4-pyridyl)furan-4-yl)methanone;
(1,4-diazabicyclo[3.2.2]non-4-yl)(2-(furan-2-yl)furan-4-yl)methanone;
(1,4-diazabicyclo[3.2.2]non-4-yl)(2-(furan-3-yl)furan-4-yl)methanone;
(1,4-diazabicyclo[3.2.2]non-4-yl)(2-(thiophen-2-yl)furan-4-yl)methanone;
(1,4-diazabicyclo[3.2.2]non-4-yl)(2-(thiophen-3-yl)furan-4-yl)methanone;
(1,4-diazabicyclo[3.2.2]non-4-yl)(4-phenylthiophen-2-yl)methanone;
(1,4-diazabicyclo[3.2.2]non-4-yl)(4-(2-pyridyl)thiophen-2-yl)methanone;
(1,4-diazabicyclo[3.2.2]non-4-yl)(4-(3-pyridyl)thiophen-2-yl)methanone;
(1,4-diazabicyclo[3.2.2]non-4-yl)(4-(4-pyridyl)thiophen-2-yl)methanone;
(1,4-diazabicyclo[3.2.2]non-4-yl)(4-(furan-2-yl)thiophen-2-yl)methanone;
(1,4-diazabicyclo[3.2.2]non-4-yl)(4-(furan-3-yl)thiophen-2-yl)methanone;
(1,4-diazabicyclo[3.2.2]non-4-yl)(4-(thiophen-2-yl)thiophen-2-yl)methanone, or
(1,4-diazabicyclo[3.2.2]non-4-yl)(4-(thiophen-3-yl)thiophen-2-yl)methanone,
```

or a diastereoisomer, enantiomer or pharmaceutically-acceptable salt thereof.

Claim 16 -18.(cancelled)

Claim 19.(currently amended) A method of treatment or prophylaxis of psychotic disorders, intellectual impairment disorders, human diseases or conditions in which activation of the α 7 nicotinic receptor is beneficial, Alzheimer's disease, learning deficit, cognition deficit, attention deficit, memory loss, Lewy Body Dementia, Attention Deficit Hyperactivity Disorder, anxiety, schizophrenia, mania or manic depression, Parkinson's disease, Huntington's disease, Tourette's syndrome, neurodegenerative disorders in which there is loss of cholinergic synapse, jetlag, cessation of smoking, nicotine addiction including that resulting from exposure to products containing nicotine, pain, or ulcerative colitis which method comprises administering a therapeutically effective amount of a compound as defined in any one of Claims 1 to 15Claim 1.

Claim 20.(currently amended) A pharmaceutical composition comprising a compound of formula I, as defined in any one of Claims 1 to 15Claim 1, together with at least one pharmaceutically-acceptable excipient or diluent.

Claim 21.(currently amended) A process for the preparation of a compound of formula I, as defined in any one of Claims 1 to 15Claim 1, which comprises:

reacting a compound of formula VI:

VI

wherein J represents halogen, or OSO_2CF_3 substituent at the position of ring Ar^1 at which the bond to ring Ar^2 is formed with a organometallic compound of formula VII;

$$Ar^2-M$$
 VII

in the presence of a organometallic catalyst and solvent.

Claim 22.(original) A compound of formula VI:

VI

wherein:

Ar¹ is a benzene, furan, or thiophene ring;

J is halogen, or OSO_2CF_3 , provided that when Ar^1 is a benzene ring, J may only represent halogen or OSO_2CF_3 in a position meta or para to the carboxamide group; or an enantiomer thereof or pharmaceutically-acceptable salts thereof.

Claim 23.(original) A compound according to Claim 22, selected from:

(1,4-diazabicyclo[3.2.2]non-4-yl)(5-bromofuran-2-yl)methanone;

(1,4-diazabicyclo[3.2.2]non-4-yl)(5-bromothiophen-2-yl)methanone;

(1,4-diazabicyclo[3.2.2]non-4-yl)(3-bromophenyl)methanone;

(1,4-diazabicyclo[3.2.2]non-4-yl)(4-bromophenyl)methanone;

(1,4-diazabicyclo[3.2.2]non-4-yl)(3-iodophenyl)methanone;

(1,4-diazabicyclo[3.2.2]non-4-yl)(4-iodophenyl)methanone;

(1,4-diazabicyclo[3.2.2]non-4-yl)(4-bromothiophen-2-yl)methanone;

(1,4-diazabicyclo[3.2.2]non-4-yl)(5-bromothiophen-3-yl)methanone;

(1,4-diazabicyclo[3.2.2]non-4-yl)(5-bromofuran-2-yl)methanone;

(1,4-diazabicyclo[3.2.2]non-4-yl)(5-bromofuran-2-yl)methanone, and

(1,4-diazabicyclo[3.2.2]non-4-yl)(5-bromofuran-2-yl)methanone;

or enantiomers thereof, or pharmaceutically-acceptable salts thereof.